

Camcorder Piracy – IR Based Antipiracy Screen

Smt. Manasa K B, Amulya S M, Harshitha M, Rakshitha M S, Vinutha E T

Assistant Professor Students Department Of Information Science and Engineering NIE Institute of Technology, Mysore, Karnataka, India

ABSTRACT

Privacy protection is of increasing importance in this era of information explosion. One major source of the piracy is camcorder piracy i.e., Information are recorded by portable devices and then sold on internet and grey markets. Different techniques and strategies are explored to overcome the problem and secure the digital content, some are based on spatiotemporal modulation of light, watermarking techniques, maximizing annoyance and temporal effects. In this paper, we take an interesting look on identifying the pirates by exploiting the technology of RFID. The unique information embedded in the RFID's serves as tracking information to reveal the one responsibility for the piracy.

This raises the question that to what extent antipiracy actions have been effective in deterring piracy? This is a challenging issue to explore because of the difficulty to capture user behavior. We tackle this question by embedding infrared led behind the screen through which a layer of IR rays generated aids in detecting piracy. A human viewing a screen containing information sees only the information on the screen and does not see the infrared rays being displayed simultaneously. Video cameras aimed to record a screen containing the information, though it comprises of IR filters they are unable to prevent the IR rays from interfering with recording the information.

Keywords: Camcorder, Antipiracy, Infrared Rays, RFID.

I. INTRODUCTION

Movie piracy has a profound act on the motion picture industry. In the view of the law, movie piracy is considered as crime all over the world. The major problem caused by movie piracy is internet traffic. As the main source for movie piracy is piracy by insiders it is of 77% possibly. As an important source of movie piracy, the camcorder piracy accounts for about 23% of the piracy methods according to the BBC News [3]. The pirated movies can be made prior to the theatrical release date and after the date, classified as: pre-release piracy and post-release piracy. Section II below discusses the sources of piracy which gives the difference between piracy due to consumers and insiders.

II. SOURCES OF PIRACY

Pirated information have differences in quality, potential impact on revenues, legal and business implications, and technologies that can be adopted to address the issues. Movie piracy is capturing a original motion picture through Several types of cameras which are having the similar CCD and COMS sensors in the camera device. The sources of camcorder-pirated movies can be classified as pre-release piracy and post-release piracy respectively. Pre-release sources of piracy include production, post-production and pre-release distribution, where film may be shown in private screenings to critics, sponsors and VIPs. After theatrical release, motion pictures can be pirated from the theatre, during

controlled small-screen releases, from DVD or video releases, Internet distribution, or from broadcast television. This method is known as Post-release. During the pre-release and post-release the piracy can be done in two ways, through cam and telesync [1]. It is the imitating of existing Content. These copies sold for the lesser price before they are officially available.

III. EXISTING ANTI-PIRACY SCHEME

As a deterrent against the camcorder piracy, several watermarking technologies have been proposed [2]. This technique is to embed watermarks into the movie. The message indicates the theater to which it was distributed, the equipment on which it was shown, the date and time of showing, and perhaps information identifying the projectionist. The content protection in the theater using a new paradigm of information display technology, called




Figure 1. Working mechanism of camcorder piracy tracking by IR display technology

Temporal Psychovisual Modulation (TPVM) [1], which utilizes the differences between the human-eye perception and digital camera image forming to stack an invisible pattern on digital screen and projector. The pattern embedded in the movies can also serve as tracking information to reveal the one responsibility for the camcorder piracy.

IV. PROPOSED SYSTEM DESIGN

Figure. 1 represents the working mechanism of the proposed anti-piracy scheme. This system reveals the pirates and personal Information of them who attempts to capture the information that is unofficial. This technology uses the property of CCD sensors that are present in capturing devices, these are

sensitive to infrared rays but the humans cannot identify them.

A card will be issued to each user, which helps in the authentication process. The information of the user will be stored and controlled by the Admin. Unique information will be generated through microcontroller which will send to user for the verification. In case error occurs during verification new information will be generated and resent to the user. If the user tries to capture the information, the IR LED's which are embedded behind the screen will avoid piracy. If the information is been distributed, the pirates can be identified with the help of details which is maintained by admin.




Figure 2. Block diagram of proposed anti-piracy system.

V. IMPLEMENTATION

In our project we are monitoring the copy right of information.

4*4 MATRIX KEYPAD- The keypad is set of buttons arranged in a block or a pad which usually consist of alphanumeric keys.

RFID TAGS and READERS- We use automatic identification method relaying on storing and remotely retrieving of data using RFID transponders. The transponder's consists of unique information, which when swiped through an electro-magnetic zone it detects a reader's activation signal and verifies the authenticated user.

GLOBAL SYSTEM FOR MOBILE COMMUNICATION (GSM)- The password which is used for authentication is generated by GSM and verified through renesas microcontroller.

MICROCONTROLLER- Since the output from the microcontroller is low, it is used for controlling the activity of other systems like Authentication, Verification and driver amplifies the signal and actuates the relays to control the IR LED's.

ALPHANUMERICAL LIQUID CRYSTAL DISPLAY (ALCD) - It helps in the directing of the users.

IR LED's- The IR's are designed to sense the presence or absence of partitions such that lighting functions change to accommodate the appropriate size space. These LED's are embedded behind the screen which is initiated by microcontroller. The way this

technology works is that when any capturing devices flashes on IR light the pattern will be captured instead of the information show in figure 3.




Figure 3. IR Patterns

VI. APPLICATIONS

By implementing this project we can have more security in the particular field.

- I. The duplication of the portraits can be avoided in museums.
- II. ii. Implementing in research centre and meetings the highly confidential information cannot be pirated.
- III. iii. The piracy can be avoided in movie theatres by using this technique.

VII. CONCLUSION

This paper mainly deals with idea of avoiding piracy which is a major constraint of visual media. Here anti-piracy is achieved by the study of visual transparency of added interference signals to the theatre audience. The RFID transponders helps as a tracking information to reveal one who is responsible of piracy.

VIII. REFERENCES

- [1] Y Chen, G Zhai, Z Gao, Ke Gu, W Zhang, M Hu, J Liu "Movie Piracy Tracking using Temporal Psychovisual Modulation", in IEEE conference 2017.
- [2] J. Bloom and C. Polyzois, "Watermarking to track motion picture theft," in Signals, Systems and Computers, 2004. Conference Record of the Thirty-Eighth Asilomar Conference on, vol. 1, Nov 2004, pp. 363-367 Vol.1.

- [3] .B. NEWS, “The fact and fiction of camcorder piracy”, [Online]. Available: <http://news.bbc.co.uk/2/hi/technology/6334913.stm>, 2015.
- [4] M. Epstein and Stanton. “A method and device for preventing piracy of video material from theater screens”, Oct. 4 2000, eP Patent App. EP19,990,923,789. [Online]. Available: <https://www.google.com/patents/EP1040655a2?cl=en>
- [5] Karthik.S, Abhishek.P, Chandresh.P.M, Bharath.K.R, Mrs. Sahana Salagare “Anti-Piracy Screen using VLC” [Online]. Available: <http://www.ijettjournal.org>.
- [6] US Patent “Movie Film Security System Utilizing Infrared Patterns reference”, [Online]. Available: <https://patents.google.com>.
- [7] Website “An Introduction to RFID Technology” reference [Online]. Available: <https://www.cs.colorado.edu>.
- [8] Website “A GSM Technology” reference [Online]. Available: <https://www.lifewire.com>.
- [9] C. Hu, G. Zhai, Z. Gao, and X. Min, “Information security display system based on spatial psychovisual modulation,” in 2014 IEEE International Conference on Multimedia and Expo (ICME), July 2014, pp. 1–4.
- [10] Y. Chen, N. Liu, G. Zhai, Z. Gao, and K. Gu, “Information security display system on android device,” in 2016 IEEE Region 10 Conference (TENCON), Nov 2016, pp. 1634–1637.