

Leaf Disease Detection of Agricultural plant Using Image Processing

Aneel Narayanapur^{*1}, Pavankumar Naik², Priya B Kori³, Naseem Kalaburgi⁴, Rubiya I M⁵, Madhu M C⁶

^{1,2,3,4,5,6} Department of Computer Science and Engineering, SKSVMACET Laxmeshwar, Karnataka, India

ABSTRACT

The detection of plant leaf is an very important factor to prevent serious outbreak. Automatic detection of plant disease is essential research topic. Most plant diseases are caused by fungi, bacteria, and viruses. Fungi are identified primarily from their morphology, with emphasis placed on their reproductive structures. Bacteria are considered more primitive than fungi and generally have simpler life cycles. With few exceptions, bacteria exist as single cells and increase in numbers by dividing into two cells during a process called binary fission. Viruses are extremely tiny particles consisting of protein and genetic material with no associated protein. The term disease is usually used only for the destruction of live plants. The developed processing scheme consists of four main steps, first a color transformation structure for the input RGB image is created, this RGB is converted to HSI because RGB is for color generation and his for color descriptor. Then green pixels are masked and removed using specific threshold value, then the image is segmented and the useful segments are extracted, finally the texture statistics is computed. from SGDM matrices. Finally the presence of diseases on the plant leaf is evaluated.

Keywords : HSI, Segmentation, Color Co-occurrence Matrix, Texture, Plant Leaf Diseases.

I. INTRODUCTION

The naked eye observation of experts is the main approach adopted in practice for detection and identification of plant diseases. But, this requires continuous monitoring of experts which might be prohibitively expensive in large farms. Further, in some developing countries, farmers may have to go long distances to contact experts, this makes consulting experts too expensive and time consuming [2] and moreover farmers are unaware of non-native diseases. Automatic detection of plant diseases in an important research topic as it may prove benefits in monitoring large fields of crops, and thus automatically detect the diseases from the symptoms that appear on the plant leaves. This enables machine vision that is to provide image based automatic inspection, process control and robot guidance. Comparatively, visual identification is labor intensive, less accurate. By SGDM The texture features are

calculated and the classification is done using squared distance technique. Grape fruit peel maybe infected by several diseases[3]. Real time specific weed discrimination technique using multilevel wavelet decomposition was proposed by Siddiqil et.al. In this histogram equalization is used for pre-processing, features are extracted from wavelet decomposition and finally classified by Euclidean distance method [4]. Automatic classification of leaf diseases is done based on high resolution multi-spectral and stereo images [5]. Sugar beet leaves are used in this approach. Segmentation is the process that is carried out to extract the diseased region and the plant diseases are graded by calculating the quotient of disease spot and leaf areas.

An optimal threshold value for segmentation can be obtained using weighted parzen window [6].

II. METHODS AND MATERIAL

Figure 1 the basic procedure of the proposed vision-based detection algorithm in this paper. First, the images of various leaves are going to acquire using a digital camera. Then image-processing techniques are applied to the acquired images to extract useful features that are necessary for further analysis.




Figure 1 : The basic procedure of the proposed approach

The step-by-step procedure of the proposed system:
 RGB image acquisition Convert the input image from RGB to HSV format.

Masking the green-pixels Removal of masked green pixels Segment the components Obtain the useful segments Computing the features using color-co-occurrence methodology

III. RESULTS AND DISCUSSION

Color Transformation Structure: Firstly, the RGB images of leaves are acquired. Then RGB images are converted into Hue Saturation Value (HSV) color space representation. RGB is an ideal for color

generation. But HSV model is an ideal tool for color perception [7]. Hue is a color attribute that describes pure color as perceived by an observer. Saturation refers to the relative purity or the amount of white light added to hue and Value means amplitude of light.. After the transformation process, the Hue component is taken for further analysis. Saturation and Value are dropped since it does not give extra information. Figure 2 shows the H, S and V components.




Figure 2: a) Input image infected by Fungus b) Hue Component c) Saturation Component d) Value Component

Masking and Removing green pixels:Masking means setting the pixel value in an image to zero or some other background value. In this step, we identify the mostly green colored pixels. After that, based on specified threshold value that is computed for these pixels.The green components of the pixel intensities are set to zero if it is less than the pre-computed threshold value. Then red, green and blue components of the this pixel is assigned to a value of zero by mapping of RGB components. [3] The green

colored pixels mostly represent the healthy areas of the leaf and they do not add any valuable weight to disease identification .

Segmentation: From the above steps, the infected portion of the leaf is extracted. The infected region is then segmented into a number of patches of equal size. In this approach patch size of 32X32 is taken[1].

Obtaining Useful Segments: In this step the useful segments are obtained. The size of the patch is chosen in such a way that the significant information is not lost. Not all segments contain significant amount of information. So the patches which are having more than fifty percent of the information are taken into account for the further analysis[1]

Color co-occurrence Method: In statistical texture analysis, texture features are computed from the statistical distribution of observed combinations of intensities at specified positions relative to each other in the image. Spatial Gray-level Dependence Matrices (SGDM) method is a way of extracting statistical texture features. A GLCM is a matrix where the number of rows and columns is equal to the number of gray levels, G, in the image. The matrix $P(i, j | \Delta x, \Delta y)$

element is the relative frequency with which two pixels, separated by a pixel distance $(\Delta x, \Delta y)$ occur within a given neighborhood, one with intensity i and the other with intensity j. The SGDM's are represented by the function $P(i, j, d, \theta)$ where I represent the gray level of the location, and j represents the gray level of the pixel at a distance d from location at an orientation angle θ of. SGDM's are generated for Hue image.

Homogeneity = $\sum_{i,j=0}^{N-1} C(i, j) / (1 + (i - j)^2)$

Texture Features: Properties of Spatial Gray-level Dependence Matrices (SGDM) like Contrast, Energy, Local homogeneity, and correlation are computed for the Hue content of the image as given in following Eqns..

Contrast : Returns a measure of the intensity contrast between a pixel and its neighbor over the whole image.

Range = $[0 (\text{size}(\text{SGDM}, 1) - 1)^2]$ Contrast is 0 for a constant image.

$$\text{Contrast} = \sum_{i,j=0}^{N-1} (i, j)^2 C(i, j) \tag{1}$$

Energy= Returns the sum of squared elements in the SGDM Range = $[0 1]$ Energy is 1 for a constant image.

$$\text{Energy} = \sum_{i,j=0}^{N-1} C(i, j)^2 \tag{2}$$

Homogeneity= Returns a value that measures the closeness of the distribution of elements in the SGDM to the SGDM diagonal. Range = $[0 1]$ Homogeneity is 1 for a diagonal SGDM.

$$\text{Correlation} = \frac{\sum_{i=0}^{G-1} \sum_{j=0}^{G-1} \{i \times j\} \times P(i, j) - \{\mu_x - \mu_y\}}{\sigma_x \times \sigma_y} \tag{3}$$

Correlation= Returns a measure of how correlated a pixel is to its neighbor over the whole image Range = $[-1 1]$ Correlation is 1 or -1 for a perfectly positively or negatively correlated image

IV. CONCLUSION

In this paper application of texture statistics for detecting the plant leaf disease has been explained Firstly by color transformation structure RGB is converted into HSV space because HSV is a good color descriptor. Masking and removing of green pixels with pre computed threshold level. Then in the next step segmentation is performed using 32X32

patch size and obtained useful segments. These segments are used for texture analysis by color occurrence matrix. Finally if texture parameters are compared to texture parameters of normal leaf. The extension of this work will focus on developing algorithms and NN's in order to increase the recognition rate of classification process.

V. REFERENCES

- [1]. Ananthi, S. Vishnu Varthini, Detection And Classification Of Plant Leaf Diseases International Journal of Research in Engineering & Applied Sciences, Volume 2, Issue 2 (February 2012) ISSN: 2249-3905
- [2]. H.Al-Hiary, S. Bani-Ahmad, M.Reyalat, M.Braik and Z.AlRahamneh, Fast and Accurate Detection and Classification of Plant Diseases, International Journal of Computer Applications (0975-8887), Volume 17-No.1.March 2011
- [3]. Dheeb Al Bashish, Malik Braik, and Sulieman Bani-Ahmad, (2010)A Framework for Detection and Classification of Plant Leaf and Stem Diseases, International Conference on Signal and Image Processing pp 113-118.
- [4]. Dae Gwan Kim, Thomas F. Burks, Jianwei Qin, Duke M. Bulanon, Classification of grapefruit diseases using color texture feature analysis, International Journal Agriculture and Biological Engineering, Vol:2, No:3, September 2009. Pp 41-50.
- [6]. Sabine D. Bauer, Filip Korc, Wolfgang Forstner, The Potential of Automatic Methods of Classification to identify Leaf diseases from Multispectral images, Published online: 26 January 2011, Springer Science+Business Media, LLC 2011., Precision Agric (2011 12:361-377, DOI 10.1007/s11119-011-921.
- [7]. Wang Jue, Wang shitong, Image Thresholding Using Parzen Window Estimation. Journal of applied sciences 8(5):772-779, 2008, ISSN 1812-

5654, Asian Network for Scientific Information, 2008

- [8]. Muhammad Hameed Siddiqi, Suziah Sulaiman, Ibrahima Faye and Irshad Ahmad, A Real Time Specific & Weed Discrimination System Using Multi-Level Wavelet Decomposition, International Journal of Agriculture Biology, ISSN Print: 1560-8530; ISSN Online 1814-9596, 09-118/YHP/2009/11-5-559-565

Cite this article as :

Aneel Narayanapur, Pavankumar Naik, Priya B Kori, Naseem Kalaburgi, Rubiya I M, Madhu M C, "Leaf Disease Detection of Agricultural plant Using Image Processing", International Journal of Scientific Research in Computer Science, Engineering and Information Technology (IJSRCSEIT), ISSN : 2456-3307, Volume 6 Issue 3, pp. 432-435, May-June 2020. Journal URL : <http://ijsrcseit.com/CSEIT2063113>