

International Conference - Innovation-2021-Innovation-2021 International Journal of Scientific Research in Computer Science, Engineering and Information Technology ISSN : 2456-3307 (www.ijsrcseit.com) Volume 8, Issue 3, May-June-2021

Emotion Detection to Prevent Suicide

Tejashri Sawant¹, Manorama Shewale¹, Supriya Kiwade¹, Prof. Amruta Chitari²

¹Department Computer Engineering, Dr. D. Y. Patil School of Engineering, Lohegaon, Pune, Maharashtra,

India

²Professor, Department Computer Engineering, Dr. D. Y. Patil School of Engineering, Lohegaon, Pune, Maharashtra, India

ABSTRACT

India, a land of marvels, is outstanding in many aspects, its culture, ecosystem, etc. Sadly, it also ranks among the top countries in the world to have an annual suicide rate. Suicide might be considered as one of the most serious social health problems in the modern society. Suicidal ideation or suicidal thoughts are people's thoughts of committing suicide. It can be regarded as a risk indicator of suicide. India is among the top countries among in the world to have annual suicide rate. Objective of Face Emotion Recognition (FER) is identifying emotions of a human for reduce the suicide rate. This system involves extraction of facial features, and threshold detection of stress using emotions expressed through face using the Convolutional Neural Network (CNN) algorithm. This system is basically used to classify positive and negative emotions and detects the stress based on usual threshold value.

Keywords: Suicide rate, Emotions, Convolutional Neural Network.

I. INTRODUCTION

Suicide is an important issue in the Indian context. More than one lakh (one hundred thousand) lives are lost every year to suicide in our country. In the last two decades, the suicide rate has increased from 7.9 to 10.3 per 100,000. There is a wide variation in the suicide rates within the country. The southern states of Kerala, Karnataka, Andhra Pradesh and Tamil Nadu have a suicide rate of > 15 while in the Northern States of Punjab, Uttar Pradesh, Bihar and Jammu and Kashmir, the suicide rate is < 3. This variable pattern has been stable for the last twenty years. Higher literacy, a better reporting system, lower external aggression, higher socioeconomic status and higher expectations are the possible explanations for the higher suicide rates in the southern states.

In 2016 the number of suicides in India had increased to 230,314. Suicide was the most common cause of death in both the age groups of 15-29 years and 15-39 years. About 800,000 people die by suicide worldwide every year, of these **135,000** (17%) are residents of India, a nation with 17.5% of world population.





India reported an average 381 deaths by suicide daily in 2019, totaling 1,39,123 fatalities over the year, according to the latest National Crime Records Bureau (NCRB) data. A 3.4 per cent increase was observed in suicides during 2019 (1,39,123 suicides) as compared to 2018 (1,34,516) and 2017 (1,29,887), the data showed. The rate of suicide (incidents per 1 lakh population) rose by 0.2 per cent in 2019 over 2018, as per the data. According to the statistics by the NCRB, which functions under the Union Home Ministry, the suicide rate in cities (13.9 per cent) was higher as compared to all-India suicide rate (10.4 per cent) in 2019.

Suicide by "hanging" (53.6 per cent), "consuming poison" (25.8 per cent), "drowning" (5.2 per cent) and "self-immolation" (3.8 per cent) were the prominent means of committing suicides during the year, the data showed.

India had the highest suicide rate in the South-East Asian region in 2016, a new report by the World Health Organization (WHO) has revealed. India's own official statistics, which map the number and causes of suicides in the country, have not been made public for the last three years, hindering suicide prevention strategies and efforts to execute the WHO's recommendations in this regard.

India's suicide rate stood at 16.5 suicides per 100,000 people in 2016, according to the WHO report. This was higher than the global suicide rate of 10.5.

The report presented suicide rates for countries and regions using data from the WHO Global Health Estimates for 2016. When classified according to region and income, India is part of the South-East Asia region and the Lower Middle-Income group of countries. India's suicide rate (16.5) was higher than the rate of its geographic region (13.4) and the rate of its income group (11.4).

A. MOTIVATION

India reported an average 381 deaths by suicide daily in 2019, totalling 1,39,123 fatalities over the year, according to the latest National Crime Records Bureau (NCRB) data. A 3.4 per cent increase was observed in suicides during 2019 (1,39,123 suicides) as compared to 2018 (1,34,516) and 2017 (1,29,887), the data showed. The rate of suicide (incidents per 1 lakh population) rose by 0.2 per cent in 2019 over 2018, as per the data. According to the statistics by the NCRB, which functions under the Union Home Ministry, the suicide rate in cities (13.9 per cent) was higher as compared to all-India suicide rate (10.4 per cent) in 2019. The motivation behind designing this project is to reduce the increasing suicidal rate using technique of emotion detection.

B. PROBLEM DEFINITION

To design system which involves extraction of facial features, and detection of stress using emotions expressed through face using the Convolutional Neural Network (CNN) algorithm and classify positive and negative emotions and detects the stress based on usual threshold value.

II. METHODS AND MATERIAL

1. Face Detection

Face Detection is the first and essential step for **processing**, and it is used to detect **faces** in the images. A **facial detection** system uses biometrics to map facial features from a photograph or video.

It compares the information with a database of known **faces** to find a match. **Face detection** systems



use computer algorithms to pick out specific, distinctive details about a person's **face**.



These details, such as distance between the eyes or shape of the chin, are then converted into a mathematical representation and compared to data on other **faces** collected in a **face** database.

2. Emotion Detection

Emotion detection is used to analyse basic facial expression of human. Emotion recognition system is constructed, including face detection, feature extraction and facial expression classification.



3. Methodology

Face of the subject is captured using the camera module. This detected face is processed and the emotions are classified as either positive or negative emotions. The detected image is processed to identify the face of the subject using Convolutional Neural Network (CNN) algorithm.



This is plotted and an increase in the negative emotion can be inferred as increase in stress.

4. Feature Extraction

Facial feature extraction is the process of **extracting face** component **features** like eyes, nose, mouth, etc from human **face** image.



Facial feature extraction is very much important forthe initialization of processing techniqueslike face tracking, facial expressionrecognitionor face recognition.

5. Emotion Recognition

The emotions are to be extracted from the detected face. The image that is captured from the camera module, contains the facial features. The detected face is pre-processed (i.e.) cropped and resized. The detectors defined prior can be utilized to identify the emotion and sort them. It must be noted that violajones algorithm uses adaboost algorithm with cascading classifier, wherein a series of weak



classifier's classification with a satisfactory threshold is combined to give an acceptable outcome.



6. Set Stress Threshold

After the emotion is detected, it is plotted against the time axis. Over a period of time, it is observed and if it crosses an estimated threshold value, some action is performed.

III. LITERATURE SURVEY

Sr	Paper	Author	Method
•			
Ν			
о.			
1	Emotion	Anmol uppal,	K-nearest-
	recognition and	shweta tyagi,	neighbor
	drowsiness	rishi kumar,	(KNN)
	detection using	seema sharma	
	python		
2	Automatic facial	Balasubramani	Neural
	expression	A, kalaivanan	networks
	recognition	K vanan,	
	system	karpagalakshm	
		i RC,	
		monikandan R	
3	Short Research	David	Neural
	Advanced	Restrepo*,	networks
	Project:	Alejandro	
	Development of	Gomez '	

	Strategies for		
	Automatic		
	Facial Feature		
	extraction and		
	Emotion		
	Recognition		
4	Facial emotion	Shivam Gupta	Support
	recognition in		Vector
	real-time and		Machines
	static images		(SVMs)
5	A Literature	Rachoori	K-nearest-
	Survey on	Keerthi, A.	neighbor
	motion	Obulesh,	(KNN)
	Recognition	Pallam Ravi,	
	System Using	Deepika.S	
	Facial		
	Expressions		
6	Facial Emotion	Ma Xiaoxi, Lin	Support
	Recognition	Weisi, Huang	Vector
		Dongyan,	Machine
		Dong	(SVM) and
		Minghui,	Deep
		Haizhou Li	Boltzmann
			Machine
			(DBM)

IV. PROPOSED SYSTEM





A. Mathematical Model

Receive input data, process the information, and generate output

Step 1: Load the input images in a variable (say X)

Step 2: Define (randomly initialize) a filter matrix. Images are convolved with the filter Z1 = X * f

Step 3: Apply the Relu activation function on the result A = Relu(Z1)nf

Step 4: Define (randomly initialize) weight and bias matrix. Apply linear transformation on the values

Z2 = WT.A + b

Step 5: Apply the Relu function on the data. This will be the final output O = Relu(Z2)

V. SYSTEM REQUIREMENTS

Database Requirements Dataset of user's face.

A. Software Requirements

Operating System Python 3 sublime

B. Hardware Requirements

Pc/Laptop(4gb Ram/ above i3 processor)

VI. RESULTS AND DISCUSSION

1. Face dataset created



2. Trained the database



3. Home Page



4. Fill User Details



5. Real Time Video Start

3 % × +		o
← → × @ kulkst500%doc		n 🛪 🕒 1
Menu	Depression Detection Using M	lachine Learning
Home		
Depression Detection	~	el Time Video Streeming
	Developed By	Gardeet By
	Student 1 Student 3	
	Student 2 Student 4	
Constant.		
# P teplers to speck	0 3 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	



6. Face Recognition



7. If it is Sad then Message send to user



VI. CONCLUSION

In this project Depression detection is implemented by CNN using Keras that mainly focuses on detecting emotions that can reflect depression in an individual. Due to its efficiency or ease of implantation the above stated algorithms are selected for face detection and emotion recognition.

VII. REFERENCES

[1]. Ekman, P. & Keltner, D. (1997). Universal facial expressions of emotion: An old controversy and

new findings. In Segerstråle, U. C. & Molnár, P. (Eds.), Nonverbal communication: Where nature meets culture (pp. 27-46). Mahwah, NJ: Lawrence Erlbaum Associates.

- [2]. Rajiv Radhakrishnan, Chittaranjan, "Suicide: An Indian perspective", Indian Journal of Psychiatry, (2012).
- [3]. Soman C, Vijayakumar K, Ajayan K, Safraj S, Kutty V, "Suicide in South India: a communitybased study in Kerala", Indian J Psychiatry, (2009), Vol.51, pp.261-264.
- [4]. Deb, Esben Strodl, Jiandong Sun, "Academic Stress, Parental Pressure, Anxiety and Mental Health among Indian High School Students", International Journal of Psychology and Behavioral Science, (2015), Vol.5, Issue.1, pp.26-34.
- [5]. P. Viola and M. Jones, "Rapid object detection was using a boosted cascade of simple features", CVPR, (2001), pp.511–518.
- [6]. Damir Filko, Goran Martinovi'c, "Emotion Recognition System by a Neural Network Based Facial Expression Analysis", Automatika, (2013), Vol.54, Issue.2, pp 263–272.
- [7]. Neha Gupta1 and Navneet Kaur, "Design and Implementation of Emotion Recognition System by Using Matlab", IJERA, (2013), Vol.3, Issue 4, pp.2002-2006.
- [8]. Seyedehsamaneh Shojaeilangari, Wei-Yun Yau, Karthik Nandakumar, Li Jun, and Eam Khwang Teoh, "Robust Representation and Recognition of Facial Emotions Using Extreme Sparse Learning", IEEE Transactions on Image Processing, (2015), Vol.24, No.7, pp.2140-2153.
- [9]. Bosker, Bianca, "AFFECTIVA's Emotion Recognition Tech: When Machines Know what you're feeling", (2013).
- [10]. Vikramjit Mitra1etal, "Cross-Corpus Depression Prediction From Speech", ICASSP, (2015), pp.4769-4773.

[11]. Fuji Ren, Xin Kang, and Changqin Quan "Examining Accumulated Emotional Traits in Suicide Blogs with an Emotion Topic Model" IEEE Journal of Biomedical And Health Informatics, (2016), Vol.20, Issue.5, pp.1348-1351

