



ISSN : 2456-3307 OPEN CACCESS

Available Online at : www.ijsrcseit.com doi : https://doi.org/10.32628/IJSRCSEIT



Unmasking Deceptive Reviews: Supervised Machine Learning for Counterfeit Reviews Detection

A Prasanthi¹, Dr. D. Shobha Rani²

MTech student¹, Professor & HOD²

Department of Computer Science, Chadalawada Ramanamma Engineering College, Andhra Pradesh, India

Article History:	Online reviews have become a cornerstone of e-commerce, wielding tremendous influence over consumers' decisions. Positive reviews can significantly bolster a product's reputation and drive sales. However, the flip side of this digital coin is
Accepted: 10 Sep 2023 Published: 29 Sep 2023	the proliferation of fake or deceptive reviews, strategically crafted to deceive potential buyers. Consequently, the detection of fake reviews has evolved into a
Publication Issue Volume 9, Issue 5 September-October-2023 Page Number 173-178	dynamic and critical research domain. Effectively identifying fake reviews relies on a nuanced understanding of both the inherent traits of reviews and the behaviors of the reviewers themselves. This study underscores the potential of machine learning as a formidable tool for fake review detection. To capture the multifaceted behaviors of reviewers, this research employs a diverse set of feature engineering techniques, complementing the process of feature extraction from the reviews themselves. In the pursuit of effective fake review identification, this study conducts a series of experiments, leveraging machine learning classifiers like K-Nearest Neighbors (KNN), Naive Bayes (NB), and Logistic Regression. These classifiers are assessed using a real dataset comprised of Yelp restaurant reviews. The results are enlightening, with Logistic Regression emerging as the top performer in terms of accuracy. These findings underscore the capabilities of machine learning algorithms in distinguishing genuine from fraudulent reviews, enhancing the trustworthiness of online review platforms and bolstering consumer confidence in the face of increasingly sophisticated fake review tactics. Keywords : Machine Learning, Fake, Reviews.

I. INTRODUCTION

The proliferation of online reviews has transformed consumer decision-making processes. However, this

widespread reliance on online reviews has also given rise to a pressing issue: the presence of fake reviews that can significantly impact consumer trust and confidence. In response to this challenge, the

Copyright © 2023 The Author(s): This is an open-access article distributed under the terms of the Creative Commons Attribution **4.0 International License (CC BY-NC 4.0)** which permits unrestricted use, distribution, and reproduction in any medium for non-commercial use provided the original author and source are credited.



application of machine learning techniques for fake review detection has emerged as a critical area of research and development.

Fake reviews, often posted with the intention of promoting or discrediting products or services, pose a significant threat to the integrity of online platforms and the authenticity of consumer feedback. To combat this menace, machine learning algorithms offer a promising solution by leveraging patterns and features within review data to distinguish between genuine and fake reviews.

This field of study has gained momentum due to its potential to revolutionize the way we maintain the credibility of online platforms. Various machine learning algorithms, including Logistic Regression, K-Nearest Neighbors (KNN), Naive Bayes, AdaBoost, and Multilayer Perceptron (MLP), have been employed to tackle the fake review detection challenge, each with its unique strengths and insights.

As the volume of online reviews continues to grow, and the sophistication of fake review techniques evolves, the development of accurate and efficient machine learning models becomes crucial. This research not only aims to enhance the trustworthiness of online reviews but also contributes to the broader field of natural language processing and text classification. In this context, it is imperative to explore the potential of machine learning in fake review detection, considering the evolving landscape of online commerce and user-generated content.

II. RELATED WORKS

[1] In the paper titled "A framework for fake review detection in online consumer electronics retailers," Araque, Iglesias, and Barbado introduce a framework for identifying fake reviews within the consumer electronics sector. They develop a method to categorize these fraudulent reviews using their proposed framework and assess its effectiveness by applying it to data from four different cities. The results indicate an impressive 82% F-Score in the classification challenge, showcasing the Ada Boost classifier as the most statistically robust option for this task.

[2] Tadelis, in his paper published in IEEE Internet Computing, delves into the economics of reputation and feedback systems in e-commerce marketplaces. He provides insights into how these systems function within online marketplaces, highlighting the challenges related to bias in these systems. Tadelis also offers solutions to enhance the usability of designs for online marketplaces.

[3] Mughal's paper, "Data Mining: Web Data Mining Techniques, Tools and Algorithms: An Overview," explores the evolution of web data mining. It emphasizes the difficulties in extracting pertinent information from the vast amount of unstructured and unreliable online content. The paper categorizes web data mining into three types: web usage, web content, and web structure mining.

[4] In the book chapter titled "Machine Learning for Text," edited by C. C. Aggarwal, sentiment analysis and opinion mining are defined as computer analytics that focus on text data, particularly in the context of social media and online content.


[5] A study presented at the Seventh Annual AAAI Conference on Weblogs and Social Media investigates Yelp's fake review filter. This research scrutinizes how Yelp filters reviews and concludes that behavioral features are more effective than linguistic features in detecting fake reviews. The study suggests that Yelp's filtering method is associated with unusual spamming activities.

III. METHODOLOGY

We propose the development of this application, which can be regarded as a valuable system due to its ability to alleviate the limitations associated with conventional and other existing methods. The primary objective of this project is to establish a rapid and reliable approach for accurately assessing and identifying fake reviews. To achieve this, we have



devised a robust method implemented within a Python environment utilizing the Django framework.



IV. Implementation:

1. Naive Bayes:

In classification tasks, a Naive Bayes classifier is employed as a probabilistic machine learning model. This classifier is built upon the principles of Bayes' theorem, forming the foundation of its operation.

The Bayes theorem is a valuable tool for calculating the likelihood of event A occurring when event B has already happened. In this theorem, A represents the hypothesis, while B serves as the supporting evidence. Notably, the Naive Bayes classifier assumes that predictors and features are independent, meaning the presence of one feature doesn't affect the behavior of another. The term "naive" arises from this assumption.

K-Nearest Neighbors (KNN):

The K-Nearest Neighbors (K-NN) algorithm is a supervised machine learning method used for classification and regression tasks. It operates by finding the K data points (neighbors) in the training dataset that are closest to a given data point in the test dataset based on a similarity metric (often Euclidean distance). For classification, K-NN assigns the class label that is most frequent among the K neighbors to the test data point. In regression, it calculates the average or weighted average of the target values of the K neighbors as the prediction. K-NN is simple to implement but sensitive to the choice of K and can be computationally intensive for large datasets.

3. Logistic Regression:

Logistic Regression is a machine learning algorithm used for binary classification tasks. It models the relationship between a dependent binary variable (such as 'yes' or 'no') and one or more independent variables by estimating the probability of the binary outcome. It employs the logistic function to transform a linear combination of input features into values between 0 and 1, representing probabilities. If the probability exceeds a predefined threshold (usually 0.5), the instance is classified as one category; otherwise, it's classified as the other. Logistic Regression is widely used in areas like spam detection, medical diagnosis, and sentiment analysis due to its simplicity, interpretability, and effectiveness in handling classification problems.

ADABOOST

AdaBoost, short for Adaptive Boosting, is an ensemble machine learning algorithm. It combines multiple weak learners, often decision trees with limited depth, to create a strong classifier. AdaBoost assigns weights to training instances, emphasizing misclassified ones in subsequent iterations. Weak learners are iteratively trained on these weighted instances, and their predictions are combined. This process continues until a predetermined number of rounds or when a perfect classifier is achieved. AdaBoost focuses on improving classification accuracy, making it robust and effective in various applications, especially in addressing binary classification problems. It's a widely used algorithm due to its ability to boost the performance of weak classifiers.



MULTILAYER PERCEPTRON:

The Multilayer Perceptron (MLP) algorithm is a type of artificial neural network (ANN) commonly used in machine learning. It consists of multiple layers of interconnected nodes, each with a nonlinear activation function. MLPs are employed in various tasks, particularly for binary classification and regression problems. During training, they use backpropagation, adjusting weights to minimize error. MLPs are capable of handling complex, non-linear relationships in data, making them suitable for a wide range of applications, from image recognition to predicting outcomes based on input features. MLPs have experienced a resurgence of interest with the advent of deep learning, showcasing their effectiveness in diverse domains.

V. Results and Discussion:

Home page: This is fake review detection home page.



About: About fake news based on ML technology



Register: User needs to register with his/her credentials.



Login: User needs to login with his/her credentials.



User home: After login, the user will redirect to user home page.



Load: User needs to load the dataset.



View: User can see the dataset what they have uploaded.



Preprocess: User needs to split the dataset.





Model: User needs to train and test with models.



Prediction: User needs to enter the review the output.



VI. CONCLUSION

Utilizing Supervised Machine Learning is essential for the identification of fraudulent reviews, safeguarding the integrity of online platforms. This research involved a variety of classifiers, such as Logistic Regression, K-Nearest Neighbors (KNN), AdaBoost, Multilayer Perceptron (MLP), and Naive Bayes, in the task of distinguishing genuine from fake reviews. Each algorithm offered unique insights and performance characteristics, with ensemble methods like AdaBoost showing potential for enhancing robustness. The application of these models underscores the importance of carefully selecting top-performing algorithms and tailoring them to the specifics of fake review detection. While outcomes may vary based on dataset and feature engineering, this approach suggests a promising avenue for automating the identification of deceptive reviews. Future research could explore

more advanced models, incorporate additional features, or integrate unsupervised learning to further enhance accuracy and effectiveness in false review detection.

VII. REFERENCES

- A framework for fake review detection in online consumer electronics retailers," Information Processing & Management, vol. 56, no. 4, 2019, pp. 1234–1244. O. Araque, C. A. Iglesias, and R. Barbado.
- [2]. "The Economics of Reputation and Feedback Systems in E-Commerce Marketplaces," S. Tadelis, IEEE Internet Computing, vol. 20, no. 1, 2016: pp. 12–19.
- [3]. Information Retrieval, vol. 9, no. 6, M. J. H. Mughal, "Data Mining: Web Data Mining Techniques, Tools and Algorithms: An Overview," 2018.
- [4]. "Opinion mining and sentiment analysis," C. C. Aggarwal, Springer, 2018, pp. 413-434.
- [5]. In 2013, the Seventh International AAAI Conference on Weblogs and Social Media asked, "What Yelp fake review filter might be doing?" V. Venkataraman, B. Liu, N. Glance, and A. Mukherjee.
- [6]. "Review spam detection," B. Liu and N. Jindal, WWW '07: Proceedings of the 16th International Conference on the World Wide Web, 2007.
- [7]. E. Elmurngi and A. Gherbi, "Detecting Fake Reviews through Sentiment Analysis Using Machine Learning Techniques," 2017 IARIA/DATA ANALYTICS.
- [8]. "Sentiment analysis of movie reviews and blog posts," Advance Computing Conference (IACC), 2013, pp. 893–898. A. Uddin, V. Singh, R. Piryani, and P. Waila.
- [9]. "Detecting Negative Deceptive Opinion from Tweets." International Wireless & Mobile



Technology Conference. Y. Biadgie, K.-A. Sohn, and A. Molla. 2017; Singapore: Springer.

[10]. S. Shojaee et al., "Detecting deceptive reviews using lexical and syntactic features." 2013. Information Sciences, vol. 385, pp. 213-224, "Neural networks for deceptive opinion spam detection: An empirical study," 2017.

Cite this article as :

A Prasanthi, Dr. D. Shobha Rani, "Unmasking Deceptive Reviews: Supervised Machine Learning for Counterfeit Reviews Detection ", International Journal of Scientific Research in Computer Science, Engineering and Information Technology (IJSRCSEIT), ISSN : 2456-3307, Volume 9, Issue 5, pp.173-178, September-October-2023.

